

Low-Voltage Fuse Systems


DIAZED Fuse Systems

DIAZED fuse bases


Dimensional drawings

DIAZED bases made of ceramic


500 V AC/500 V DC
1-pole
5SF1



750 V AC/750 V DC, for DIAZED fuse links 750 V AC
1-pole, with cap
5SF4 230




500 V AC/500 V DC
3-pole, with cap, DII/DIII
5SF5



DIAZED bases made of molded plastic

5SF1 060, 5SF1 260
5SF5 068, 5SF5 268



Version Type	Connection type	Dimensions							
		a	b	c	d	e	Øg	h	Øi
NDz/25 A 5SF1 012 5SF1 01	KK KK	29 29	49 49	44.6 44.6	55 55	75 75	32 32	49 49	-- 4.2
DII/25 A 5SF1 005 5SF1 024	BB BB	38.4 38.4	41 41	46.6 46.6	53 53	83 83	34 34	63 63	-- 4.3
DIII/63 A 5SF1 205 5SF1 215 5SF1 224 5SF1 214	BS SS BS SS	45.5 45.5 45.5 45.5	46 46 46 46	47 47 47 47	54 54 54 54	83 83 83 83	43 43 43 43	78 78 78 78	-- -- 4.3 4.3
DIV/100 A 5SF1 401	flat connection	68	68	--	79	110	65	116	6.5

Version Type	Dimensions							
	a	b	c	d	e	f	g	h
DII/3 x 25 A 5SF5 067 5SF5 066	106 106	106 106	48 48	-- 32	-- 5.2	45 45	52 52	86 86
DIII/3 x 63 A 5SF5 237 5SF5 236	127 127	130 130	54 54	-- 32	-- 5.2	45 45	52 52	85 85

Type	Dimensions	
	a	b
5SF1 060 5SF1 260	40 50	-- --
5SF5 068 5SF5 268	-- --	120 150


Low-Voltage Fuse Systems

DIAZED Fuse Systems


DIAZED fuse bases

DIAZED EZR bus-mounting bases


5SF6 005



5SF2 07



5SF6 205




Low-Voltage Fuse Systems

DIAZED Fuse Systems


DIAZED fuse bases

DIAZED covers


DIAZED cover made of molded plastic
5SH2



Cap made of molded plastic
5SH2




Cover rings made of molded plastic
5SH3



DIAZED screw caps

5SH1



Size	Type	Dimensions			
		a	b	Ø c	d
DII/E27	5SH2 032	41	51	27.5	19
DIII/E33	5SH2 232	52	51	34.5	18.5

Size	Type	Dimensions			
		a max.	b max.	c max.	d max.
NDz/E16	5SH2 01	33	68	51.7	75
DII/E27	5SH2 02	43	74.7	53.6	83
DIII/E33	5SH2 22	51	90.5	53.6	83

Size	Type	Dimensions			
		Ø a	Ø b	Ø c	d
DII/E27	5SH3 401	39.5	35.5	33.5	17.5
DIII/E33	5SH3 411	49.5	45.5	41.5	17.5
NDz/E16	5SH3 30	30	26	26	16.5
DII/E27	5SH3 32	41.5	35	38	17.5
DIII/E33	5SH3 34	51.5	45	44	19

Size	Type	Dimensions	
		a	Ø b
NDz/E16	5SH1 11	35	28
DII/E27	5SH1 221	42	33
	5SH1 12	45.5	34
	5SH1 22	43	39
DIII/E33	5SH1 231	42	40
	5SH1 13	45.5	43
	5SH1 23	47	45
	750 V AC/750 V DC 5SH1 161	48	48
DIII/E33S	690 V AC/600 V DC 5SH1 170	68	43
DIV/R1¼"	5SH1 141	53	65